

Literatuur

1. Stuen S, Granquist EG, Silaghi C. Anaplasma phagocytophilum--a widespread multi-host pathogen with highly adaptive strategies. *Front Cell Infect Microbiol.* 2013;3:31.
2. Dumler JS, Madigan JE, Pusterla N, Bakken JS. Ehrlichioses in humans: epidemiology, clinical presentation, diagnosis, and treatment. *Clin Infect Dis.* 2007;45 Suppl 1:S45-51.
3. Butler CM, Nijhof AM, Jongejan F, van der Kolk JH. Anaplasma phagocytophilum infection in horses in the Netherlands. *Vet Rec.* 2008;162(7):216-7.
4. Silaghi C, Nieder M, Sauter-Louis C, Knubben-Schweizer G, Pfister K, Pfeffer M. Epidemiology, genetic variants and clinical course of natural infections with Anaplasma phagocytophilum in a dairy cattle herd. *Parasit Vectors.* 2018;11(1):20.
5. Granick JL, Armstrong PJ, Bender JB. Anaplasma phagocytophilum infection in dogs: 34 cases (2000-2007). *J Am Vet Med Assoc.* 2009;234(12):1559-65.
6. Stuen S, Longbottom D. Treatment and control of chlamydial and rickettsial infections in sheep and goats. (Special Issue: Therapeutics and control of sheep and goat diseases.). *Veterinary Clinics of North America, Food Animal Practice.* 2011;27(1):213-33.
7. Trim SHR. Prevalence study of A. phagocytophilum on lamb and tick level, clinical observation of the infected lambs in Bargerveen and an overview of comparable clinical symptoms in other flocks in The Netherlands. Utrecht: Utrecht University; 2018.
8. Burggraaf ND. Natural Anaplasma phagocytophilum infection in sheep lambs: effect of maternal periparturient infection status and of Mannheimia/Bibersteinia vaccination on disease severity. Utrecht: Faculty of Veterinary Medicine, Utrecht University; 2018.
9. Grova L, Olesen I, Steinshamn H, Stuen S. Prevalence of Anaplasma phagocytophilum infection and effect on lamb growth. *Acta Veterinaria Scandinavica.* 2011;53(30).
10. Foggie A. Studies on the infectious agent of tick-borne fever in sheep. *J Pathol Bacteriol.* 1951;63(1):1-15.
11. Granquist EG, Stuen S, Crosby L, Lundgren AM, Alleman AR, Barbet AF. Variant-specific and diminishing immune responses towards the highly variable MSP2(P44) outer membrane protein of Anaplasma phagocytophilum during persistent infection in lambs. *Veterinary Immunology and Immunopathology.* 2010;133(2/4):117-24.
12. Stuen S, Hardeng F, Larsen HJ. Resistance to tick-borne fever in young lambs. *Res Vet Sci.* 1992;52(2):211-6.
13. Overas J, Lund A, Ulvund MJ, Waldeland H. Tick-borne fever as a possible predisposing factor in septicaemic pasteurellosis in lambs. *Vet Rec.* 1993;133(16):398.
14. Stuen S, Grova L, Granquist EG, Sandstedt K, Olesen I, Steinshamn H. A comparative study of clinical manifestations, haematological and serological responses after experimental infection with Anaplasma phagocytophilum in two Norwegian sheep breeds. *Acta Veterinaria Scandinavica.* 2011;53(8).

15. Grzeszczuk A, Milstone A, Choi KS, Barat N, Garcia-Garcia JC, Petrovec M, et al. Differential impairment of neutrophil function by strains of *Anaplasma phagocytophilum*. *Clin Microbiol Infect*. 2009;15 Suppl 2:19-20.
16. Ogden NH, Casey AN, French NP, Woldehiwet Z. A review of studies on the transmission of *Anaplasma phagocytophilum* from sheep: implications for the force of infection in endemic cycles. *Exp Appl Acarol*. 2002;28(1-4):195-202.
17. Kenter. Prevention of Tick-borne Fever outbreaks with deltamethrin in sheep introduced into nature reserves in the Netherlands. Utrecht: Faculty of Veterinary Medicine, Utrecht University; 2017.
18. Jahfari S, Coipan EC, Fonville M, van Leeuwen AD, Hengeveld P, Heylen D, et al. Circulation of four *Anaplasma phagocytophilum* ecotypes in Europe. *Parasit Vectors*. 2014;7:365.